

KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza

110V
SPECSHEET
11-24-2025



ENTRELACS

HAND-MADE IN FRANCE

KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza

Hand-Made in France with passion
in our Family Foundry established in 1982



ENTRELACS

KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza

110V
DEFINITION OF SYMBOLS
11-24-2025



ELETRICAL DANGER



COMPONENT INSIDE



REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED



DISPOSAL OTHER THAN URBAN WASTE



COLOR RENDERING INDEX



COLOR



INGRESS PROTECTION CODE



LED PRESENCE



INTERIOR FIXTURE



0.10 V DIMMING



CLASS 2 US



EUROPE NORM



ENTRELACS

Warranty and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on an exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must

be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

All our lighting fixtures are guaranteed for 2 years.

Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. We invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth




General safety instructions

Read the instruction manual thoroughly before using the appliance.

WARNING: When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personal injury. The power supply must be deactivated prior to assembly, maintenance, exchanging the light source or cleaning process.

ELECTRICAL SAFETY: the lighting should be installed by authorized electrician only.



Screws provided are not applicable to all surfaces and ceilings.

In the case of a specific way of fixing the product please use suitable screws at your disposal.

Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.

They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.



KHEOPS 600 DUO

SUKS600DU
PENDANT

Design by Kelly Boukobza

MATERIALS **SOLID BRONZE & ALABASTER**

LED SOURCES **LED COB**

POWER SUPPLY **120-277 VAC / 50-60Hz**

LUMENS **1280 Lumens**

WATTS **2x 12W**

WEIGHT KG [lbs] **20.4 [44.97]**

STANDARD

| | | | |
|--------------------|-----------|--------------|--------------|
| LED | CRI-Ra 90 | CE | Dry location |
| UL COMPONENTS ONLY | Class 2 | JBOX FITTING | |

LED COLORS NO UPCHARGE

| | | |
|-------|-------|--------|
| 2200K | 2500K | 2700K* |
| 3000K | 3500K | 4100K |


DIMMING CONTROL

| | | |
|------------------|--------|------|
| Triac phase cut* | 0-10V* | Dali |
|------------------|--------|------|

DRIVER POSITION

| | | |
|---------|---------|--------|
| Inside* | Inside* | Remote |
|---------|---------|--------|

*Standard setting



110V
SPECSHEET
11-24-2025

finishes

BRONZE PATINAS

| | | |
|------------------------------|---------------------------------|--------------------------------|
| | | |
| FNRB RAW BRONZE | FNMB MEDIUM BRONZE | FNBK BLACK BRONZE |

SPECIAL UPCHARGE

| | |
|----------------------------------|--|
| | |
| FNBN BRUSHED NICKEL | CUSTOM FINISHING UPON REQUEST |

ALABASTER TYPE

| | |
|---------------|---------------|
| | |
| WHITE VEIN | BROWN VEIN |

KHEOPS 600 DUO

SUKS600DU


PENDANT

Design by Kelly Boukobza

110V
SPECSHEET
11-24-2025


DS12W700C1018MB1UD

| | |
|------------------|-------------------------------|
| MANUFACTURER | LTF TECHNOLOGY |
| MODEL NUMBER | DS12W700C1018MB1UD |
| AC INPUT | 120-277 VAC - 0.12A - 50/60Hz |
| DC OUTPUT | 10-18V (CONSTANT CURRENT) |
| WATTS | 12W |
| EFFICIENCY | >85% |
| POWER FACTOR | >0.95 |
| CASE TC | 90°C MAX |
| PROTECTION | INPUT / OUTPUT |
| STORAGE | -30°C / +90°C |
| HUMIDITY | 95% RH MAX |
| IP RATING | IP 67 |
| PROTECTION CLASS | Class 2 Power Supply |
| DIMMING | ELV, TRIAC, 0-10V |



LCM-25-DA

| | |
|------------------|--|
| MANUFACTURER | MEAN WELL |
| MODEL NUMBER | LCM-25-DA |
| AC INPUT | 200-240 VAC - 0.2A - 50/60Hz |
| DC OUTPUT | 1.05A - 0.35A(CONSTANT CURRENT) 24 V - 54 V |
| WATTS | 25W |
| EFFICIENCY | 86% |
| POWER FACTOR | >0.91 |
| CASE TC | 85°C MAX |
| PROTECTION | INPUT / OUTPUT |
| STORAGE | -40°C / +80°C |
| HUMIDITY | 20-90% RH MAX |
| IP RATING | / |
| PROTECTION CLASS | Class 2 Power Supply |
| DIMMING | Dali |




KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU


ANY HELP ?

support@entrelacs-creation.fr


WHATSAPP




ASSEMBLY VIEW
11-24-2025



2x ALABASTER



1x LAMP KIT



1x FIXING KIT



1x ALLEN KEY 2.5



1x ALLEN KEY 2




2x 8/32 SCREW



3x WOOD SCREW Ø4x30



3x FIXING PIN Ø6x30



1x PAIR OF GLOVES



ENTRELACS



KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



  **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025




ENTRELACS

KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



CONTENT

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU


ANY HELP ?

support@entrelacs-creation.fr


WHATSAPP




ASSEMBLY VIEW
11-24-2025



LAMP CABLES



DRIVER CABLES



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

ASSEMBLY VIEW

11-24-2025


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025




ENTRELACS

KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS


KHEOPS 600 DUO

SUKS600DU

PENDANT

Design by Kelly Boukobza



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

SUKS600DU

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

11-24-2025



ENTRELACS



ENTRELACS

HAND-MADE IN FRANCE

ENTRELACS is a registered trademark

of FONDERIE D'ART MACHERET

31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE

tel. +33 (0)2 43 54 84 84 - contact@entrelacs-creation.fr