

BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret

110V
SPECSHEET
10-30-2025



ENTRELACS

HAND-MADE IN FRANCE

BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret

Hand-Made in France with passion
in our Family Foundry established in 1982



ENTRELACS

BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret

110V
DEFINITION OF SYMBOLS
10-30-2025



ELETRICAL DANGER



COMPONENT INSIDE



REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED



DISPOSAL OTHER THAN URBAN WASTE



COLOR RENDERING INDEX



COLOR



INGRESS PROTECTION CODE



LED PRESENCE



INTERIOR FIXTURE



0.10 V DIMMING



CLASS 2 US



EUROPE NORM



ENTRELACS

Warranty and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on an exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must

be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

All our lighting fixtures are guaranteed for 2 years.

Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. We invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth




General safety instructions

Read the instruction manual thoroughly before using the appliance.

WARNING: When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personal injury. The power supply must be deactivated prior to assembly, maintenance, exchanging the light source or cleaning process.

ELECTRICAL SAFETY: the lighting should be installed by authorized electrician only.



Screws provided are not applicable to all surfaces and ceilings.

In the case of a specific way of fixing the product please use suitable screws at your disposal.

Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.

They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.



BEAM 800


WLBM800CY

SCONCE


Design by Yves Macheret

MATERIALS	SOLID BRONZE
LED SOURCES	LED COB
POWER SUPPLY	120-277VAC / 50-60Hz
LUMENS	2x311 Lumens
WATTS	12 W
WEIGHT KG [lbs]	3.9 [8.6]


STANDARD



LED COLORS NO UPCHARGE




DIMMING CONTROL



DRIVER POSITION




*Standard setting



110V
SPECSHEET
10-30-2025

finishes

BRONZE PATINAS



SPECIAL UPCHARGE



BEAM 800

WLBM800CY


SCONCE

Design by Yves Macheret

110V
SPECSHEET
10-30-2025


DS12W700C1018MB1UD

MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DS12W700C1018MB1UD
AC INPUT	120-277 VAC - 0.12A - 50/60Hz
DC OUTPUT	10-18V (CONSTANT CURRENT)
WATTS	12W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	IP 67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	ELV, TRIAC, 0-10V



SL0360S3

MANUFACTURER	eldoLED
MODEL NUMBER	SL0360S3
AC INPUT	120-277 VAC - 0.35A - 50/60Hz
DC OUTPUT	2V-55V (CONSTANT CURRENT)
	0.15A - 1.4A
WATTS	30W
EFFICIENCY	>85%
POWER FACTOR	>0.90
CASE TC	80°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-20°C / +50°C
HUMIDITY	85% RH MAX
IP RATING	N.A
PROTECTION CLASS	ClassII for EU
DIMMING	Dali 2



Length (L) typical: 130 mm / 5.12 in

Width (W) typical: 72 mm / 2.83 in

Height (H) typical: 28 mm / 1.1 in




BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



CONTENT

10-30-2025




1x LAMP KIT



1x ALLEN KEY 1.5



2x 8/32 SCREW



1x PAIR OF GLOVES



BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



  **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY


ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ASSEMBLY VIEW
10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

10-30-2025


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret





 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

INSTALLATION INSTRUCTIONS

10-30-2025

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

10-30-2025


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP




ENTRELACS

BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS


BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS



BEAM 800

WLBM800CY

SCONCE

Design by Yves Macheret



  **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLBM600CY
- WLBM800CY
- WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

10-30-2025



ENTRELACS



ENTRELACS
HAND - MADE IN FRANCE

ENTRELACS is a registered trademark
of FONDERIE D'ART MACHERET
31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE
tel. +33 (0)2 43 54 84 84 - contact@entrelacs-creation.fr