

**GHOST 570**

WLGT570RC

SCONCE

*Design by Felix Millory*

220V  
SPECSHEET  
20/03/2026



**ENTRELACS**

HAND-MADE IN FRANCE

**GHOST 570**

WLGT570RC

SCONCE

*Design by Felix Millory*

Hand-Made in France with passion  
in our Family Foundry established in 1982



ENTRELACS

# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory

220V  
DEFINITION OF SYMBOLS  
20/03/2026



ELETRICAL DANGER



COMPONENT INSIDE



REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED



DISPOSAL OTHER THAN URBAN WASTE



COLOR RENDERING INDEX



COLOR



INGRESS PROTECTION CODE



LED PRESENCE



INTERIOR FIXTURE



0.10 V DIMMING



EUROPE NORM



CLASS 2 EU



GROUND / CLASS 1 EU



ENTRELACS

## Warranty and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on an exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must

be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

**All our lighting fixtures are guaranteed for 2 years.**

Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. We invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth




## General safety instructions

Read the instruction manual thoroughly before using the appliance.

**WARNING:** When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personal injury. The power supply must be deactivated prior to assembly, maintenance, exchanging the light source or cleaning process.

**ELECTRICAL SAFETY:** the lighting should be installed by authorized electrician only.



**Screws provided are not applicable to all surfaces and ceilings.**


In the case of a specific way of fixing the product please use suitable screws at your disposal.

## Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.

They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.





## Déclaration de conformité CE

(Conformément à la Directive 2014/35/UE sur la basse tension et la Directive 2011/65/UE RoHS)

Le produit mentionné ci-dessous est conforme aux exigences essentielles des directives européennes suivantes :

1. Fabricant :

Nom de l'entreprise : FONDERIE MACHERET  
Adresse : 31 Z.A LA PECARDIERE, 72450 MONTFORT LE GESNOIS  
Téléphone : 02 43 54 84 84  
E-mail : yves@fonderie-macheret.fr

2. Produit :

Dénomination : Applique lumineuse  
Modèle : WLGT570RC  
Marque : ENTRELACS  
Date de fabrication : \_\_\_\_\_

3. Description du produit :

Type : Murale  
Puissance : 21W  
Classe de protection : Classe II  
Indice de protection (IP) : IP44

4. Directives et normes appliquées :

Directive 2014/35/UE (Directive Basse Tension – LVD)  
Directive 2014/30/UE (Compatibilité Électromagnétique – CEM)  
Directive 2011/65/UE (Restriction des substances dangereuses – RoHS)  
Normes harmonisées appliquées :

NF EN 60598-1:2021 – Luminaires – Exigences générales et essais  
NF EN 60598-2-1:2021 – Luminaires – Exigences particulières  
EN 55015:2019 – Compatibilité électromagnétique  
EN 61000-3-2:2019 / EN 61000-3-3:2013 – Limitation des émissions de courant harmonique

Montfort le Gesnois Le  
01/01/2024

Macheret Yves  
Co-Gérant



# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory

220V  
SPECSHEET  
20/03/2026

MATERIALS **SOLID BRONZE & ALABASTER**

LED SOURCES **LED strip 24V**


POWER SUPPLY **220-240 VAC / 50-60Hz**

LUMENS **985 Lumens**

WATTS **21W**

WEIGHT KG [lbs] **5.5 [12.13]**


STANDARD



LED COLORS  
NO UPCHARGE




DIMMING CONTROL



DRIVER POSITION



\*Standard setting



## finishes

### BRONZE PATINAS



**FNRB**  
RAW  
BRONZE



**FNMB**  
MEDIUM  
BRONZE



**FNBK**  
BLACK  
BRONZE

### SPECIAL UPCHARGE



**FNBN**  
BRUSHED  
NICKEL



CUSTOM  
FINISHING  
**UPON REQUEST**

### ALABASTER TYPE



WHITE  
VEIN



BROWN  
VEIN



ENTRELACS

# GHOST 570

WLGT570RC


SCONCE

Design by Felix Millory

220V  
SPECSHEET  
20/03/2026


## DU15W24VLI

MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DU15W24VLI
AC INPUT	220-240 VAC - 0.09A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	15W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	/
PROTECTION CLASS	Class 2 Power Supply
DIMMING	ELV, TRIAC



## DS40W24VLI2UD


MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DS40W24VLI2UD
AC INPUT	120-277 VAC - 0.4A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	40W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	IP67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	TRIAC , ELV , 0-10V



ENTRELACS

### PWM-60-24DA

MANUFACTURER	MEAN WELL
MODEL NUMBER	PWM-60-24DA
AC INPUT	100 - 240VAC - 0.8A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	60W
EFFICIENCY	>89%
POWER FACTOR	>0.92
CASE TC	85°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-40°C / 80°C
HUMIDITY	20-95% RH MAX
IP RATING	IP67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	Dali




# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



CONTENT

20/03/2026



1x LAMP KIT



1x ALLEN KEY 2.5




6x BRASS WOOD SCREW Ø4x30




6x FIXING PIN Ø6x30



1x PAIR OF GLOVES



2x WAGO



1x CABLE



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



ASSEMBLY VIEW

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

- WLGT430RC
- WLGT515RC
- WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLGT430RC  
WLGT515RC  
WLGT570RC

ANY HELP ?



[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

WHATSAPP



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

- WLGT430RC
- WLGT515RC
- WLGT570RC

**ANY HELP ?**


[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS



# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



  **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**




support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE


Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

## INSTALLATION INSTRUCTIONS

20/03/2026




THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLGT430RC  
WLGT515RC  
WLGT570RC

ANY HELP ?

[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

WHATSAPP



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE


Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

## INSTALLATION INSTRUCTIONS

20/03/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLGT430RC


WLGT515RC

WLGT570RC

ANY HELP ?

[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

WHATSAPP



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

## INSTALLATION INSTRUCTIONS

20/03/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLGT430RC
- WLGT515RC
- WLGT570RC

ANY HELP ?

[support@entrelacs-creation.fr](mailto:support@entrelacs-creation.fr)

WHATSAPP



ENTRELACS


# GHOST 570

WLGT570RC

SCONCE

Design by Felix Millory



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

**ANY HELP ?**


support@entrelacs-creation.fr

**WHATSAPP**



## INSTALLATION INSTRUCTIONS

20/03/2026




ENTRELACS

# GHOST 570

WLGT570RC

SCONCE


*Design by Felix Millory*



**In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

## INSTALLATION INSTRUCTIONS

20/03/2026



**THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :**

WLGT430RC  
WLGT515RC  
WLGT570RC

### ANY HELP ?

support@entrelacs-creation.fr

### WHATSAPP



ENTRELACS



ENTRELACS  
HAND - MADE IN FRANCE

ENTRELACS is a registered trademark  
of FONDERIE D'ART MACHERET  
31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE  
tel. +33 (0)2 43 54 84 84 - [contact@entrelacs-creation.fr](mailto:contact@entrelacs-creation.fr)