

TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret

220V
SPECSHEET
27/01/2026



ENTRELACS

HAND-MADE IN FRANCE

TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret

Hand-Made in France with passion
in our Family Foundry established in 1982



ENTRELACS

TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret

220V
DEFINITION OF SYMBOLS
27/01/2026



ELETRICAL DANGER



COMPONENT INSIDE



REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED



DISPOSAL OTHER THAN URBAN WASTE



COLOR RENDERING INDEX



COLOR



INGRESS PROTECTION CODE



LED PRESENCE



INTERIOR FIXTURE



0.10 V DIMMING



EUROPE NORM



CLASS 2 EU



GROUND / CLASS 1 EU



ENTRELACS

Warranty and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on an exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must

be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

All our lighting fixtures are guaranteed for 2 years.

Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. We invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth




General safety instructions

Read the instruction manual thoroughly before using the appliance.

WARNING: When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personal injury. The power supply must be deactivated prior to assembly, maintenance, exchanging the light source or cleaning process.

ELECTRICAL SAFETY: the lighting should be installed by authorized electrician only.



Screws provided are not applicable to all surfaces and ceilings.


In the case of a specific way of fixing the product please use suitable screws at your disposal.

Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.

They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.



TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret

220V
SPECSHEET
27/01/2026



Déclaration de conformité CE

(Conformément à la Directive 2014/35/UE sur la basse tension et la Directive 2011/65/UE RoHS)

Le produit mentionné ci-dessous est conforme aux exigences essentielles des directives européennes suivantes :

1. Fabricant :

Nom de l'entreprise : FONDERIE MACHERET
Adresse : 31 Z.A LA PECARDIERE, 72450 MONTFORT LE GESNOIS
Téléphone : 02 43 54 84 84
E-mail : yves@fonderie-macheret.fr

2. Produit :

Dénomination : Applique lumineuse
Modèle : WLTT570RC
Marque : ENTRELACS
Date de fabrication : _____

3. Description du produit :

Type : Murale
Puissance : 21W
Classe de protection : Classe I
Indice de protection (IP) : / IP20

4. Directives et normes appliquées :

Directive 2014/35/UE (Directive Basse Tension – LVD)
Directive 2014/30/UE (Compatibilité Électromagnétique – CEM)
Directive 2011/65/UE (Restriction des substances dangereuses – RoHS)
Normes harmonisées appliquées :

NF EN 60598-1:2021 – Luminaires – Exigences générales et essais
NF EN 60598-2-1:2021 – Luminaires – Exigences particulières
EN 55015:2019 – Compatibilité électromagnétique
EN 61000-3-2:2019 / EN 61000-3-3:2013 – Limitation des émissions de courant harmonique

Montfort le Gesnois Le
01/01/2024

Macheret Yves
Co-Gérant



ENTRELACS

TOAST 570 *HORIZONTAL MOUNTING*

WLTT570RC

SCONCE

Design by Yves Macheret

220V
SPECSHEET
27/01/2026

MATERIALS **BRASS & ALABASTER**

LED SOURCES **LED strip 24V**

POWER SUPPLY **220-240V / 50-60Hz**

LUMENS **990 Lumens**

WATTS **21W**

WEIGHT KG [lbs] **7.85 [17.31]**

STANDARD

LED	CRI-Ra 95	CE	⊕
IP20			

LED COLORS
NO UPCHARGE

2200K	2500K	2700K*
3000K	3500K	4100K


DIMMING CONTROL

Triac phase cut*	0-10V	Dali
---------------------	-------	------

DRIVER POSITION

Inside*	Remote	Remote
---------	--------	--------

*Standard setting



finishes

BRONZE PATINAS

FNRB RAW BRONZE	FNMB MEDIUM BRONZE	FNBK BLACK BRONZE

SPECIAL
UPCHARGE

FBNB BRUSHED NICKEL	CUSTOM FINISHING UPON REQUEST

ALABASTER TYPE

WHITE VEIN	BROWN VEIN



ENTRELACS

TOAST 570 VERTICAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret

220V
SPECSHEET
27/01/2026

MATERIALS BRASS & ALABASTER

LED SOURCES LED strip 24V


POWER SUPPLY 220-240V / 50-60Hz

LUMENS 990 Lumens

WATTS 21W

WEIGHT KG [lbs] 7.85 [17.31]


STANDARD



LED COLORS
NO UPCHARGE




DIMMING CONTROL



DRIVER POSITION



*Standard setting



finishes

BRONZE PATINAS



SPECIAL UPCHARGE



ALABASTER TYPE



ENTRELACS

TOAST 570

WLTT570RC


SCONCE

Design by Yves Macheret

220V
SPECSHEET
27/01/2026

DU15W24VLI


MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DU15W24VLI
AC INPUT	220-240 VAC - 0.09A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	15W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	/
PROTECTION CLASS	Class 2 Power Supply
DIMMING	ELV, TRIAC



ENTRELACS


DS40W24VLI2UD

MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DS40W24VLI2UD
AC INPUT	120-277 VAC - 0.4A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	40W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	IP67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	TRIAC , ELV , 0-10V



PWM-60-24DA

MANUFACTURER	MEAN WELL
MODEL NUMBER	PWM-60-24DA
AC INPUT	100 - 240VAC - 0.8A - 50/60Hz
DC OUTPUT	24V (CONSTANT VOLTAGE)
WATTS	60W
EFFICIENCY	>89%
POWER FACTOR	>0.92
CASE TC	85°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-40°C / 80°C
HUMIDITY	20-95% RH MAX
IP RATING	IP67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	Dali




TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC


ANY HELP ?

support@entrelacs-creation.fr


WHATSAPP



HORIZONTAL MOUNTING (P.13)



VERTICAL MOUNTING (P.17)



ENTRELACS


TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret




 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

CONTENT

27/01/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLTT570RC




1x LAMP KIT



4x WOOD SCREW Ø4x30



4x FIXING PIN Ø6x30



1x PAIR OF GLOVES

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

TOAST 570


HORIZONTAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret




 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

ASSEMBLY VIEW

27/01/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

TOAST 570


HORIZONTAL MOUNTING

WLTT570RC

SCONCE


Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN



INSTALLATION INSTRUCTIONS

27/01/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

TOAST 570


HORIZONTAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret




 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

27/01/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



TOAST 570


HORIZONTAL MOUNTING

WLTT570RC

SCONCE


Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

27/01/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP




ENTRELACS

TOAST 570 VERTICAL MOUNTING

WLTT570RC


SCONCE

Design by Yves Macheret



ASSEMBLY VIEW

27/01/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

TOAST 570 VERTICAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret



In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?




support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

27/01/2026




TOAST 570 VERTICAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

27/01/2026




ENTRELACS

TOAST 570 VERTICAL MOUNTING

WLTT570RC

SCONCE

Design by Yves Macheret



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

27/01/2026




ENTRELACS

TOAST 570

WLTT570RC

SCONCE

Design by Yves Macheret





INSTALLATION INSTRUCTIONS

27/01/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLTT570RC



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS



ENTRELACS
HAND - MADE IN FRANCE

ENTRELACS is a registered trademark
of FONDERIE D'ART MACHERET
31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE
tel. +33 (0)2 43 54 84 84 - contact@entrelacs-creation.fr