

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu

220V
SPECSHEET
17/04/2026



ENTRELACS

HAND-MADE IN FRANCE

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



Hand-Made in France with passion
in our Family Foundry established in 1982



ENTRELACS

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu

220V
DEFINITION OF SYMBOLS
17/04/2026



ELETRICAL DANGER



COMPONENT INSIDE



REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED



DISPOSAL OTHER THAN URBAN WASTE



COLOR RENDERING INDEX



COLOR



INGRESS PROTECTION CODE



LED PRESENCE



INTERIOR FIXTURE



0.10 V DIMMING



EUROPE NORM



CLASS 2 EU



GROUND / CLASS 1 EU



Warranty and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on an exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must

be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

All our lighting fixtures are guaranteed for 2 years.

Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. We invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth




General safety instructions

Read the instruction manual thoroughly before using the appliance.

WARNING: When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personal injury. The power supply must be deactivated prior to assembly, maintenance, exchanging the light source or cleaning process.

ELECTRICAL SAFETY: the lighting should be installed by authorized electrician only.



Screws provided are not applicable to all surfaces and ceilings.


In the case of a specific way of fixing the product please use suitable screws at your disposal.

Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.

They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.





Déclaration de conformité CE

(Conformément à la Directive 2014/35/UE sur la basse tension et la Directive 2011/65/UE RoHS)

Le produit mentionné ci-dessous est conforme aux exigences essentielles des directives européennes suivantes :

1. Fabricant :

Nom de l'entreprise : FONDERIE MACHERET
Adresse : 31 Z.A LA PECARDIERE, 72450 MONTFORT LE GESNOIS
Téléphone : 02 43 54 84 84
E-mail : yves@fonderie-macheret.fr

2. Produit :

Dénomination : Applique lumineuse
Modèle : WLWM400CY
Marque : ENTRELACS
Date de fabrication : _____

3. Description du produit :

Type : Murale
Puissance : 9.4W
Classe de protection : Classe II
Indice de protection (IP) : 44

4. Directives et normes appliquées :

Directive 2014/35/UE (Directive Basse Tension – LVD)
Directive 2014/30/UE (Compatibilité Électromagnétique – CEM)
Directive 2011/65/UE (Restriction des substances dangereuses – RoHS)
Normes harmonisées appliquées :

NF EN 60598-1:2021 – Luminaires – Exigences générales et essais
NF EN 60598-2-1:2021 – Luminaires – Exigences particulières
EN 55015:2019 – Compatibilité électromagnétique
EN 61000-3-2:2019 / EN 61000-3-3:2013 – Limitation des émissions de courant harmonique

Montfort le Gesnois Le
01/01/2024

Macheret Yves
Co-Gérant



WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu

220V
SPECSHEET
17/04/2026

MATERIALS **SOLID BRONZE & ALABASTER**

LED SOURCES **LED COB**


POWER SUPPLY **120 - 277 VAC / 50-60Hz**

LUMENS **2 x 311 Lumens**


WATTS **9 W**

WEIGHT KG [lbs] **2.8 [6.17]**


STANDARD



LED COLORS
NO UPCHARGE




DIMMING CONTROL



DRIVER POSITION



*Standard setting



finishes

BRONZE PATINAS



SPECIAL UPCHARGE



ALABASTER TYPE



WAGRAM 400

WLWM400CY


SCONCE

Design by Alienor Bechu

220V
SPECSHEET
17/04/2026


DS12W700C1018MB1UD

MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DS12W700C1018MB1UD
AC INPUT	120-277 VAC - 0.12A - 50/60Hz
DC OUTPUT	10-18V (CONSTANT CURRENT)
WATTS	12W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	IP 67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	ELV, TRIAC, 0-10V



LCM-25-DA

MANUFACTURER	MEAN WELL
MODEL NUMBER	LCM-25-DA
AC INPUT	200-240 VAC - 0.2A - 50/60Hz
DC OUTPUT	1.05A - 0.35A(CONSTANT CURRENT) 24 V - 54 V
WATTS	25W
EFFICIENCY	86%
POWER FACTOR	>0.91
CASE TC	85°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-40°C / +80°C
HUMIDITY	20-90% RH MAX
IP RATING	/
PROTECTION CLASS	Class 2 Power Supply
DIMMING	Dali




WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLWM400CY
- WLWM500CY
- WLWM600CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP




CONTENT


17/04/2026




1x BODY KIT




4x WOOD SCREW Ø3 x 25



4x FIXING PIN Ø5 x 25



2x ALABASTER KIT



1x PAIR OF GLOVES



ENTRELACS



WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



  **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

ASSEMBLY VIEW

17/04/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY


WLWM500CY

WLWM600CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. **USE YOUR OWN**

INSTALLATION INSTRUCTIONS

17/04/2026


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY
WLWM500CY
WLWM600CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP




ENTRELACS

WAGRAM 400

WLWM400CY


SCONCE

Design by Alienor Bechu



INSTALLATION INSTRUCTIONS

17/04/2026



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY
WLWM500CY
WLWM600CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP




ENTRELACS

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu




INSTALLATION INSTRUCTIONS

17/04/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY
WLWM500CY
WLWM600CY



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLWM400CY
- WLWM500CY
- WLWM600CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

17/04/2026



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE


Design by Alienor Bechu




 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN


INSTALLATION INSTRUCTIONS





17/04/2026



DRIVER CABLES

10 - 18V 700 mA CC + 

10 - 18V 700 mA CC - 



THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY
WLWM500CY
WLWM600CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu




In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

17/04/2026

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLWM400CY
- WLWM500CY
- WLWM600CY



LAMP CABLES

- 10 - 18V 700 mA CC + ●
- 10 - 18V 700 mA CC - ●

DRIVER CABLES

- 10 - 18V 700 mA CC + ●
- 10 - 18V 700 mA CC - ●

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

INSTALLATION INSTRUCTIONS

17/04/2026


THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLWM400CY
- WLWM500CY
- WLWM600CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 **In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN**

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY

WLWM500CY

WLWM600CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

17/04/2026



ENTRELACS


WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



 In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

- WLWM400CY
- WLWM500CY
- WLWM600CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

17/04/2026





ENTRELACS

WAGRAM 400

WLWM400CY

SCONCE

Design by Alienor Bechu



In the case of inappropriate ceiling/wall type screws shown on this notice are for reference only. USE YOUR OWN

THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLWM400CY

WLWM500CY

WLWM600CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



INSTALLATION INSTRUCTIONS

17/04/2026



ENTRELACS



ENTRELACS

HAND - MADE IN FRANCE

ENTRELACS is a registered trademark

of FONDERIE D'ART MACHERET

31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE

tel. +33 (0)2 43 54 84 84 - contact@entrelacs-creation.fr